	Type	Hits	Search Text	DBs
1	IS&R	8	(("6023585") or ("6003097") or ("5787246") or ("5655148")).PN.	USPAT; US-PGPUB; DERWENT; IBM_TDB
2	BRS	10	6023585.URPN.	USPAT
3	BRS	3979	peripheral near3 instal$4	USPAT; US-PGPUB; DERWENT; IBM_TDB
4	BRS	20	(peripheral near3 instal$4) and ("set-top box" or stb or "set top box")	USPAT; US-PGPUB; DERWENT; IBM_TDB
5	BRS	362	395/681	USPAT; US-PGPUB; DERWENT; IBM_TDB
6	BRS	14	(peripheral near3 instal$4) and 395/681	USPAT; US-PGPUB; DERWENT; IBM_TDB
7	BRS	65	katz-n$$.in.	USPAT; US-PGPUB; DERWENT; IBM_TDB
8	BRS	0	395/681 and katz-n$$.in.	USPAT; US-PGPUB; DERWENT; IBM_TDB
9	BRS	1	5398346.URPN.	USPAT

	Time Stamp
1	2004/05/28 14:43
2	2004/05/28 12:56
3	2004/05/28 14:44
4	2004/05/28 14:46
5	2004/05/28 14:54
6	2004/05/28 15:01
7	2004/05/28 15:02
8	2004/05/28 15:02
9	2004/05/28 15:03

	U	1	2	3	4	5	Document ID △	Issue Date	Pages	Title
1	☐	☒	☐	☐	☐	☐	US 5781798 A	19980714	12	Method and apparatus for providing hot swapping capability in a computer system with static peripheral driver software
2	☐	☒	☐	☐	☐	☐	US 5822614 A	19981013	14	Self-identifying peripheral device
3	☐	☒	☐	☐	☐	☐	US 5839095 A	19981117	7	Multimedia control center for controlling peripheral devices of a personal computer
4	☐	☒	☐	☐	☐	☐	US 5938738 A	19990817	9	Peripheral control system
5	☐	☒	☒	☐	☐	☐	US 6023585 A	20000208	13	Automatically selecting and downloading device drivers from a server system to a client system that includes one or more devices
6	☐	☒	☒	☐	☐	☐	US 6148346 A	20001114	19	Dynamic device driver
7	☐	☒	☒	☐	☐	☐	US 6189050 B1	20010213	14	Method and apparatus for adding or removing devices from a computer system without restarting
8	☐	☒	☒	☐	☐	☐	US 6453470 B1	20020917	6	Dynamic detection of hardware configuration in a digital terminal
9	☐	☒	☐	☐	☐	☐	US 6594690 B2	20030715	5	Network peripheral device driver installer

05/28/2004, EAST Version: 1.4.1

	Inventor	S	C	Image Doc. Displayed	Current OR	Current XRef
1	Beatty, Dana Lynn et al.	☒	☐	US 5781798	710/10	710/302
2	Kenton, Kenneth A. et al.	☒	☐	US 5822614	710/8	710/62; 713/2
3	Liu, Johny	☒	☐	US 5839095	702/122	700/17; 714/25; 715/500.1
4	Mu-Teng, Chung	☒	☐	US 5938738	719/321	710/41; 710/62; 710/72
5	Perlman, Stephen G. et al.	☒	☐	US 6023585	717/178	
6	Hanson, Gordon L.	☒	☐	US 6148346	719/321	345/961 709/220; 709/226; 710/10; 710/104; 710/15; 710/17; 710/19; 710/302; 711/115; 713/1; 713/323; 719/321
7	Sakarda, Premanand	☒	☐	US 6189050	710/18	
8	Gazda, Robert et al.	☒	☐	US 6453470	717/174	713/100
9	Cantwell, Charles E.	☒	☐	US 6594690	709/217	709/219

05/28/2004, EAST Version: 1.4.1

	U	1	2	3	4	5	Document ID △	Issue Date	Pages	Title
10	☐	☒	☐	☐	☐	☐	US 6658489 B1	20031202	9	Method for replacing a device driver during system operation

05/28/2004, EAST Version: 1.4.1

	Inventor	S	C	Image Doc. Displayed	Current OR	Current XRef
10	Asselin, Albert Andre	☒	☐	US 6658489	719/327	709/221; 719/321

05/28/2004, EAST Version: 1.4.1